

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		and amplitude and frequency	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 14:08
		"10/030206"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 07:25
L4	3	("5193224" "5732333" "5748678").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/11 10:42
L5	582	linearizer and distortion	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 10:42
L6	399	L5 and amplitude and frequency	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 10:42
L7	38	6 and fft	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 10:42
L10	801	375/297	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 11:03
L11	72	6 and 10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 10:59

L12	47	(reduc\$3 adj distortion) with (power adj amplifier) and (amplitude and frequency and coefficients)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 10:59
L13	10	10 and 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 11:03
L14	1640	375/296	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 11:06
L15	8	12 and 14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 11:06
L16	1034	330/278	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 11:06
L17	0	12 and 16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 11:06
L18	1383	330/279	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 11:07
L19	1	12 and 18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 11:07

L20	1189	330/284	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 11:07
L21	0	12 and 20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 11:07
L22	805	330/294	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 11:07
L23	4	12 and 22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 11:07
L24	0	330/2302	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 11:07
L25	950	330/302	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 11:07
L26	2	12 and 25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 11:08
L27	219	702/86	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 11:08


L28	0	12 and 27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 11:08
L29	216	327/315	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 11:08
L30	0	12 and 29	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 11:08
S1	0	"10/030206"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 07:25
S2	2	"5164678".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 07:25
S3	2	"5347529".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 07:26
S4	1	"19637582"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 07:29
S5	20	"498456"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 07:29

S6	21	"513402"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 07:33
S7	9	"896426"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 07:36
S8	3274	"12800"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 07:37
S9	3	"98/12800"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 07:38
S10	1	99/22444	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 07:39
S11	2	"08/717500"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 07:47
S12	14	("5949283").URPN.	USPAT	OR	ON	2005/03/03 07:49
S13	1	("5485120").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/03 07:49
S14	0	"10/030206"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 14:07
S15	1431	linearizer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 14:07

S16	582	linearizer and distortion	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 14:08
S17	399	S16 and amplitude and frequency	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 10:42
S18	44	linearizer same distortion same amplitude same frequency	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 14:08
S19	2	"6216100".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 15:55
S20	13157	reduc\$3 adj distortion	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 16:01
S21	0	(reduc\$3 adj distortion) and (poer adj amplifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 16:01
S22	1175	(reduc\$3 adj distortion) and (power adj amplifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 16:22
S23	254	(reduc\$3 adj distortion) with (power adj amplifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 16:01

S24	0	(reduc\$3 adj distortion) with (power adj amplifier) with (amplitude and frequency and coefficients)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 16:02
S25	0	(reduc\$3 adj distortion) with (power adj amplifier) with (amplitude and frequency and coefficients)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 16:02
S26	0	(reduc\$3 adj distortion) with (power adj amplifier) same (amplitude and frequency and coefficients)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 16:02
S27	47	(reduc\$3 adj distortion) with (power adj amplifier) and (amplitude and frequency and coefficients)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 10:59
S28	13471	(frequency adj domain) and (time adj domain)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 16:20
S29	2	S27 and S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 16:21
S30	124	post adj distortion	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 16:21
S31	2	S27 and S30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 16:21

S32	10	S22 and S30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 19:29
S33	7	("5107520" "5148448" "5675288" "5732333" "5748678" "5760646" "5867065").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/10 19:20
S34	3	S22 and S30 and FFT	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 19:29



Web Results 1 - 14 of about 19 for "reduce distortion" "power amplifier" amplitude frequency coefficients. (0.56 s

Balanced error correction for power amplifiers

... As such, transmit **power amplifier** distortion requirements are becoming ...
The PD **coefficients** can be a function of **frequency** (within the operating ...
rfdesign.com/mag/radio_balanced_error_correction/ - 43k - [Cached](#) - [Similar pages](#)

EE Times -Digitally optimizing WLAN transceivers

... amplifiers to **reduce distortion** that results from amplifier compression. ...
are different in **amplitude** or phase, however, then the **coefficients** of the ...
www.eetimes.com/design_library/ad/ rf/showArticle.jhtml?articleId=47902538&kc=6413 - 59k - [Cached](#) - [Similar pages](#)

[PDF] An Introduction: The Principles of Electronics Reviewed

File Format: PDF/Adobe Acrobat - [View as HTML](#)
... ration voltages in **power amplifier** circuits when compared to circuits with
bipolar transistors ... Figure 1.22 **Amplitude-frequency** response of a common- ...
www.tvhandbook.com/support/ pdf_files/audio/Introduction.pdf - [Similar pages](#)

AES Preprints: AES 109th Convention

... The circuitry is optimized to **reduce distortion** and increase the ... in the
lower system cutoff **frequency** and slope and in passband **amplitude** and group ...
www.aes.org/publications/preprints/lists/109.cfm - 96k - [Cached](#) - [Similar pages](#)

[PDF] Model 3000S 96kHz Digital Optimizer

File Format: PDF/Adobe Acrobat - [View as HTML](#)
... **frequency** and **amplitude** are user programmable and changeable during operation
... concepts to **reduce distortion** and noise modulation and shape the noise ...
www.lavryengineering.com/white_papers/dB3000sm.pdf - [Similar pages](#)

[PDF] 5. EXAMPLE CIRCUITS VECTOR REPRESENTATION OF IM3

File Format: PDF/Adobe Acrobat - [View as HTML](#)
... memoryless **power amplifier** model. and proper predistorter **coefficients** were
found to ... **amplitude** of 2nd harmonic is reduced and it accurately ...
www.ee.oulu.fi/~timor/DCourse/Chp5.pdf - [Similar pages](#)

[PDF] A novel frequency-independent third-order intermodulation ...

File Format: PDF/Adobe Acrobat
... **reduce distortion** is to apply series feedback in the emitter of ... is largely
independent of **frequency** as expected from the theory. ...
ieeexplore.ieee.org/iel5/ 4/22087/01028097.pdf?arnumber=1028097 - [Similar pages](#)

Article: 325277 of rec.antiques.radio+phono From: Gregg <nospam ...

... did this mod to improve modulation acceptance and **reduce distortion**, ...
to bring the **amplitude** of the extreme high frequencies, above the **frequency** of ...
www.ibiblio.org/pub/academic/agriculture/ agronomy/ham/RADIO+PHONO/20040706.pho - 513k -
[Cached](#) - [Similar pages](#)

Article: 325277 of rec.antiques.radio+phono From: Gregg <nospam ...

... did this mod to improve modulation acceptance and **reduce distortion**, ...
high **frequency amplitude** is reduced relative to the low **frequency amplitude**, ...
sunsite.tus.ac.jp/pub/academic/ agriculture/agronomy/ham/RADIO+PHONO/20040706.pho - 513k -
[Cached](#) - [Similar pages](#)

Freshpatents.com: Patent Applications Updated Each Week, RSS ...

... Encryption of radio **frequency** identification tags A method for encrypting and decrypting user data stored on identification tags, such as RFID tags, ...

www.freshpatents.com/ - 30k - [Cached](#) - [Similar pages](#)

[PDF](#) [Design, implementation and performance analysis of a sigma-delta ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... **amplifier** ... of the H-bridge transistors must be kept to a minimum to **reduce distortion**. ... of a sigma-delta modulator with digital delay as a function of **amplitude** ...

www.digitalamplification.com/sigma-delta%20digital%20audio%20power%20amplifier.pdf - Supplemental Result - [Similar pages](#)

[Bandwidth Market, Ltd](#)

... a single azimuthal sector, the **power amplifier** P.sub ... forward loops are employed to **reduce distortion** within the ... The **amplitude** of redistribution signal S.sub.R ...

www.bandwidthmarket.com/resources/patents/data3/5646631.html - 74k - Supplemental Result - [Cached](#) - [Similar pages](#)

[EE Times -Digitally optimizing WLAN transceivers](#)

... off the power amplifiers to **reduce distortion** that results ... The signal emerging from the **power amplifier** can then ... two signals are different in **amplitude** or phase ...

www.analoganddsp.com/goto.asp?entryid=5247 - 56k - Supplemental Result - [Cached](#) - [Similar pages](#)

[PDF](#) [Page 41 M1A: ANALOG CIRCUITS I Chair: Prof. J. Micallef ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... the general case where both the **amplitude** response and ... computed to obtain the complex-valued Laguerre filter **coefficients**. ... a new method for the **frequency** domain ...

mgc04.zapto.org/PDFs/05971B7C9F1AEE11FEDCE49D33B83B54.pdf - Supplemental Result - [Similar pages](#)

In order to show you the most relevant results, we have omitted some entries very similar to the 14 already displayed.

If you like, you can repeat the search with the omitted results included.

Free! Google Desktop Search: Search your own computer. [Download now.](#)

Find:  [emails](#) -  [files](#) -  [chats](#) -  [web history](#) -  [media](#) -  [PDF](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google




[Yahoo!](#) [My Yahoo!](#) [Mail](#) Welcome, **Guest** ([Sign In](#))

[Search Home](#) [Help](#)

YAHOO! SEARCH [Web](#) | [Images](#) | [Video](#) | [Directory](#) | [Local](#) | [News](#) | [Products](#)
"reduce distortion" "power amplifier" amplitude frequency coe

[Shortcuts](#) [Advanced Search](#) [Preferences](#)

Search Results Results **1 - 3** of about **3** for **reduce distortion power amplifier amplitude frequency coefficient**

1. [Balanced error correction for power amplifiers](#) 
... As such, transmit **power amplifier** distortion requirements are ... signal can **reduce distortion** as determined t
[rfdesign.com/mag/radio_balanced_error_correction](#) - 43k - [Cached](#) - [More from this site](#)
2. [A75 Part 1](#) 
BUILD THE A75 POWER AMPLIFIER: PART 1. The Audio Amateur 4/92. by Norman Thagard and Nelson Pass.
engineering science, as well a doctor of medicine degree. ... In doing so they **reduce distortion** and improve spe
[cygnus.ipal.org/mirror/www.passlabs.com/a75prt1.htm](#) - [More from this site](#)
3. [AES Preprints: AES 109th Convention](#) 
... the correct polyphase **coefficients** from a highly oversampled ... high-efficiency **power amplifier** topology for a
[www.aes.org/publications/preprints/lists/109.cfm](#) - 98k - [Cached](#) - [More from this site](#)

[Web](#) | [Images](#) | [Video](#) | [Directory](#) | [Local](#) | [News](#) | [Products](#)
Your Search: "reduce distortion" "power amplifier" amplitude frequency coe

Help us improve your search experience. [Send us feedback.](#)

Copyright © 2005 Yahoo! Inc. All rights reserved. [Privacy Policy](#) - [Terms of Service](#) - [Copyright Policy](#) - [Submit Your Site](#) - [Job Openings](#)

About Us

Newsroom

Advisory Board

Submit Web Site

Search Tips

Contact Us

Basic Search

[Advanced Search](#) [Search Preferences](#)

reduce distortion "power amplifier" amplitude frequenc

Search

☒ All journal sources ☒ All Web sources ☐ Exact phrase

Searched for:: All of the words: **reduce** AND **distortion** AND **"power amplifier"** AND **amplitude** AND **frequency** AND

Found:: : **3 total** | **0 journal results** | **3 Web results**

Sort by:: : **relevance** | **date**

Save checked results

Email checked results

- ☐ 1. **No Title**
Oct 2003
...for high-**frequency** analog applications...Algorithms for **reduced** memory usage...intermodulation **distortion** in industrial...Input-output **power** curves for...third-order **distortion** terms for a typical **amplifier**...GaAs MESFET **power amplifier**...eye plot of **distortion** in electron...
[http://www-tcad.stanford.edu/tcad/pubs/theses/boris_th...] [similar results](#)

- ☐ 2. [Crosslink final2](#)
Sep 2004
...kilograms of radioactive plutonium dioxide to **power** its thermal generators. Formal risk assessment...because of the presence of this nuclear **power** source onboard the spacecraft, said Sergio...assessment and emergency response, pipeline and **power**- line monitoring, real-estate visualization...
[http://www.aero.org/publications/crosslink/pdfs/V5N2.p...] [similar results](#)

- ☐ 3. [Bandwidth-efficient Wireless Multimedia Communications - Proceedings of the IEE](#)
Nov 2000
...requirements, com- plexity and **power** consumption, robustness...tion. QAM Quadrature **amplitude** modulation. QCIF Quarter-CIF...multiple access. RF Radio **frequency**. RPE Regular pulse excitation...antenna elevation is **reduced** to below the urban skyline...have a low transmitted **power** and small coverage area...
[http://wsl.stanford.edu/~ee359/hanzo_overview.pdf] [similar results](#)

Your query was rewritten to:
reduce AND distortion AND
"power amplifier" AND
amplitude AND "frequency
coefficients"

We did this by adding
quotes to common phrases,
and by removing non-
essential words.

- [Repeat without rewrite](#)

Or refine using:

All of the words

refine

fast :::



SCIENCE @ DIRECT

Register or Login: Password: [Home](#) [Search](#) [Journals](#) [Books](#) [Abstract Databases](#) [My Profile](#) [Alerts](#)

Help

Quick Search: within [All Full-text Sources](#) ☒ Search Tips

results 1 - 4

4 Articles Found

reduce distortion AND power amplifier AND amplitude AND frequency AND coefficients

[Edit Search](#) | [Save Search](#) | [Save as Search Alert](#) ☒ display checked docs ☒ e-mail articles ☒ export citations View: [Citations](#) ☒ Sort By: [Date](#) ☒

1. ☐ **FPGA implementation of parametric loudspeaker system • ARTICLE**
Microprocessors and Microsystems, Volume 28, Issues 5-6, 2 August 2004, Pages 261-272
 F. A. Karnapi, W. S. Gan and Y. K. Chong
[SummaryPlus](#) | [Full Text + Links](#) | [PDF \(463 K\)](#)

2. ☐ **Use of overpressure to assess the role of bubbles in focused ultrasound lesion shape *in vitro* • ARTICLE**
Ultrasound in Medicine & Biology, Volume 27, Issue 5, May 2001, Pages 695-708
 Michael R. Bailey, Lisa N. Couret, Oleg A. Sapozhnikov, Vera A. Khokhlova, Gail ter Haar, Shahram Vaezy, Xuegong Shi, Roy Martin and Lawrence A. Crum
[SummaryPlus](#) | [Full Text + Links](#) | [PDF \(495 K\)](#)

3. ☐ **Design and characterization of a high performance mechanical Gaussian filter and its application to improve backscatter technique • ARTICLE**
Ultrasonics, Volume 26, Issue 2, March 1988, Pages 78-89
 B. Bridge and R. S. Alvarado Torres
[Abstract](#)

4. ☐ **Electrical conductivity techniques for studying the kinetics of radiation-induced chemical reactions in aqueous solutions • ARTICLE**
International Journal for Radiation Physics and Chemistry, Volume 4, Issue 4, October 1972, Pages 439-468
 K. H. Schmidt
[Abstract](#)

4 Articles Found

reduce distortion AND power amplifier AND amplitude AND frequency AND coefficients

[Edit Search](#) | [Save Search](#) | [Save as Search Alert](#)

results 1 - 4

[Home](#) [Search](#) [Journals](#) [Books](#) [Abstract Databases](#) [My Profile](#) [Alerts](#)

Help

[Feedback](#) | [Terms & Conditions](#) | [Privacy Policy](#)

Copyright © 2005 Elsevier B.V. All rights reserved. ScienceDirect® is a registered trademark of Elsevier B.V.

**IEEE Xplore**
RELEASE 1.8Welcome
United States Patent and Trademark Office

» Search Results

[Help](#) [FAQ](#) [Terms](#) [IEEE Peer Review](#)[Quick Links](#)**Welcome to IEEE Xplore**

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced
- ☐ CrossRef

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

IEEE Enterprise

- ☐ Access the IEEE Enterprise File Cabinet


Your search matched **0** of **1134355** documents.A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance** in **Descending** order.**Refine This Search:**

You may refine your search by editing the current search expression or entering a new one in the text box.

☐ Check to search within this result set**Results Key:****JNL** = Journal or Magazine **CNF** = Conference **STD** = Standard**Results:****No documents matched your query.** **Print Format**

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved

**IEEE Xplore**
RELEASE 1.8Welcome
United States Patent and Trademark Office[Help](#) [FAQ](#) [Terms](#) [IEEE Peer Review](#)[Quick Links](#)

» Search Results

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced
- ☐ CrossRef

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

IEEE Enterprise

- ☐ Access the IEEE Enterprise File Cabinet

Your search matched **0** of **1134355** documents.A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance** in **Descending** order.**Refine This Search:**

You may refine your search by editing the current search expression or entering a new one in the text box.

☐ Check to search within this result set**Results Key:****JNL** = Journal or Magazine **CNF** = Conference **STD** = Standard**Results:****No documents matched your query.** **Print Format**

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved

**IEEE Xplore®**
RELEASE 1.8Welcome
United States Patent and Trademark Office[Help](#) [FAQ](#) [Terms](#) [IEEE Peer Review](#)[Quick Links](#)

» Search Results

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced
- ☐ CrossRef

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

IEEE Enterprise

- ☐ Access the IEEE Enterprise File Cabinet

Print Format

Your search matched **3** of **1134355** documents.A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance** in **Descending** order.

Refine This Search:

You may refine your search by editing the current search expression or entering a new one in the text box.

☐ Check to search within this result set

Results Key:

JNL = Journal or Magazine **CNF** = Conference **STD** = Standard**1 Analysis of SSB Power Amplifiers***Assadourian, F.;*

Communications, IEEE Transactions on [legacy, pre - 1988] , Volume: 7 , Issue:

1 , May 1959

Pages:53 - 57

[\[Abstract\]](#) [\[PDF Full-Text \(536 KB\)\]](#) **IEEE JNL****2 Optimum table spacing in predistorting amplifier linearizers***Cavers, J.K.;*

Vehicular Technology, IEEE Transactions on , Volume: 48 , Issue: 5 , Sept. 1999

Pages:1699 - 1705

[\[Abstract\]](#) [\[PDF Full-Text \(112 KB\)\]](#) **IEEE JNL****3 Baseband predistorter for radio frequency power amplifiers based on a non-iterative, fast adaptation method***Naskas, N.; Papananos, Y.;*

Electronics, Circuits and Systems, 2002. 9th International Conference on , Volume:

1 , 15-18 Sept. 2002

Pages:117 - 120 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(325 KB\)\]](#) **IEEE CNF**

[IEEE HOME](#) | [SEARCH IEEE](#) | [SHOP](#) | [WEB ACCOUNT](#) | [CONTACT IEEE](#)[Membership](#) | [Publications/Services](#) | [Standards](#) | [Conferences](#) | [Careers/Jobs](#)**IEEE Xplore**
RELEASE 1.8Welcome
United States Patent and Trademark Office

» Search Results

[Help](#) | [FAQ](#) | [Terms](#) | [IEEE Peer Review](#)[Quick Links](#)**Welcome to IEEE Xplore**

- ☐ [Home](#)
- ☐ [What Can I Access?](#)
- ☐ [Log-out](#)

Tables of Contents

- ☐ [Journals & Magazines](#)
- ☐ [Conference Proceedings](#)
- ☐ [Standards](#)

Search

- ☐ [By Author](#)
- ☐ [Basic](#)
- ☐ [Advanced](#)
- ☐ [CrossRef](#)

Member Services

- ☐ [Join IEEE](#)
- ☐ [Establish IEEE Web Account](#)
- ☐ [Access the IEEE Member Digital Library](#)

IEEE Enterprise

- ☐ [Access the IEEE Enterprise File Cabinet](#)

Your search matched **1** of **1134355** documents.A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance** in **Descending** order.**Refine This Search:**

You may refine your search by editing the current search expression or entering a new one in the text box.

☐ Check to search within this result set**Results Key:****JNL** = Journal or Magazine **CNF** = Conference **STD** = Standard**1 Optimum table spacing in predistorting amplifier linearizers***Cavers, J.K.;*Vehicular Technology, IEEE Transactions on , Volume: 48 , Issue: 5 , Sept. 1999
Pages:1699 - 1705[\[Abstract\]](#) [\[PDF Full-Text \(112 KB\)\]](#) **IEEE JNL** **Print Format**[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)



















Copyright © 2004 IEEE — All rights reserved



Search Results

□\$B"#□(B Search of Full Paper

Word count: [reduce: 4237] [distortion: 1046] [power: 5369] [amplifier: 1272] [amplitude: 1704]
 [frequency: 5162] [coefficients: 1732]

Total 16 documents match your query.

Vol.No. pp.x-x	Type	Category	Title	Author	-	-
Vol.E85-C No.12 pp.1981-1989	PAPER	□\$B!!□(B	A Highly Linearized MMIC Amplifier Using a Combination of a Newly Developed LD-FET and D-FET Simultaneously Fabricated with a Self-Alignment/Selective Ion-Implantation Process	Masashi NAKATSUGAWA Masahiro MURAGUCHI Yo YAMAGUCHI		
Vol.E85-B No.7 pp.1265-1275	PAPER	Wireless Communication Technology	The Performance of N-MSK Signals in Non-linear Channels	Toma&MO063086; JAVORNIK Gorazd KANDUS Alister BURR		
Vol.E82-C No.5 pp.679-686	PAPER	□\$B!!□(B	Nonlinear Compensation Technologies for Microwave Power Amplifiers in Radio Communication Systems	Toshio NOJIMA		
Vol.E86-A No.4 pp.874-881	PAPER	Systems and Control	Identification-Based Predistortion Scheme for High Power Amplifiers	Lianming SUN Yuanming DING Akira SANO		
Vol.E82-B No.12 pp.1932-1938	PAPER	□\$B!!□(B	Linearized Constant Peak-Power Coded OFDM Transmission for Broadband Wireless Access Systems	Shuta UWANO Yoichi MATSUMOTO Masato MIZOGUCHI Masahiro UMEHIRA		
Vol.E85-A No.7 pp.1647-1655	PAPER	□\$B!!□(B	Adaptive Clipping Level Control for OFDM Peak Power Reduction Using Clipping and Filtering	Takeo FUJII Masao NAKAGAWA		
Vol.E87-A No.2 pp.311-323	PAPER	□\$B!!□(B	Dual-Band Sigma-Delta Modulator for Wideband Receiver Applications	Jen-Shiun CHIANG Pao-Chu CHOU Teng- Hung CHANG		
Vol.E82-C No.6 pp.908-916	INVITED PAPER	□\$B!!□(B	Large Signal Analysis of RF Circuits in Device Simulation	Zhiping YU Robert W. DUTTON Boris TROYANOSKY Junko SATO-IWANAGA		
Vol.E85-C No.12 pp.2015-2021	PAPER	□\$B!!□(B	Harmonic Distortion Suppression Technique for Varactor-Loaded Parasitic	Qing HAN Keizo INAGAKI Kyouichi IIGUSA Robert SCHLUB Takashi		

			Radiator Antennas	OHIRA Masami AKAIKE		
Vol.E87-C No.6 pp.964-975	PAPER	□\$B!!□(B	Low-Voltage Sigma-Delta Modulator Topologies for Broadband Communications Applications	Mohammad YAVARI Omid SHOAEI Francesco SVELTO		

Current List: 1 - 10

Page: [1] [2]

Search String:

[how to search](#)

SEARCH

This search system is powered by Namazu v1.3.0.6

All Rights Reserved, Copyright (c) 1999 The Institute of Electronics, Information and Communication Engineers